

**NCI Designated High Priority Trials as of November 2025**

Research Base	Protocol #	Official Study Title	Indication/Disease	Planned Intervention	Abbreviated Eligibility Criteria Please refer to CTSU for the most recent version of the protocol.	Primary Objective	ClinicalTrials.gov NCT #	CTSU Activation Date	Approx. Target Accrual	Note
Wake Forest	WF2501CD	Practical Delivery of Geriatric Assessment in Community Oncology Settings (PGA)	Geriatric assessment goes beyond chronological age to understand heterogeneity in aging2 through evaluation of diseases and function and identifying conditions that need to be addressed prior to treatment	Any practice within their Community Site interested in participating in the opportunities listed below should complete the Interest Survey within the Recruitment Email to be considered. For this study a practice is defined as one or more NCORP affiliates or sub-affiliates, which have a common administrative structure and share providers and/or patients.	<b>PVD: 10/27/2025</b>  Oncology Clinician: 1) Oncology clinician (MDs, DOs, APPs (e.g. NP, PA)), 2) involved in the planning or delivery of new systemic therapies (e.g. chemotherapy, immunotherapy and/or targeted therapy) to patients including those age 65+. • Oncology Support Staff: Nurse, practice manager, or other oncology support staff who work with oncology clinicians who provide systemic therapy, help with office workflows for patient screeners, or help patients with referrals (including patients age 65 or older). May include staff that have a dual role in research and clinical support. • Patients: 1) ≥ 65 years of age, 2) Must have initiated a new line of chemo-/immuno- and/or targeted therapy in the last 12 months. • Caregivers: Must self-report as having cared for a patient age 65 or older who initiated systemic treatment (e.g. chemo-, immuno- and/or targeted therapy) in the last 12 months. To allow for differences in how the term “caregiver” is used, we will include any family member or friend who helps during their cancer treatment, regardless of whether they define themselves as a caregiver.	To refine proposed implementation strategies for delivering PGA through qualitative feedback from stakeholders.		12/2/25	3 practices (up to 3 clinics each) 105 patients	
Wake Forest	WF2502CD	Surgical Thromboprophylaxis Practices in Oncology Patients within the NCORP Network (STOP-VTE)	Surgeons who perform abdominopelvic cancer surgery (i.e., gastrointestinal (GI), genitourinary (GU), gynecologic (GYN)) or surgical advanced practice providers (APPs) who assist with post-operative care for these patients within the NCORP network	Part 1: A survey will be distributed to identify surgeons performing abdominopelvic cancer surgery or surgical APPs who assist with post-operative care for these patients within NCORP sites. Surgeons/surgical APPs: n = 100 (min) Sites: n = 25 (min) Part 2: A subset of surgeons and surgical APPs that participated in Part 1 will be identified using purposive sampling to ensure a cohort inclusive of key characteristics of surgeons and surgical APPs treating cancer within NCORP. Subset of surgeons/surgical APPs from Part 1 for interviews: n = 11 to 25 Part 3: A subset of practices that were self-identified in Part 1 will be chosen using purposive sampling to assess the feasibility of	<b>PVD 10/17/2025</b>  Both men and women of all races and ethnic groups who understand English are eligible for this trial. We will work with our Wake Forest NCORP Research Base Community Engagement Core (WF NCORP RB CEC) leaders to receive feedback on our recruitment strategy and develop study related materials, (e.g., study flyer, etc.) that are appropriate for attracting and enrolling surgeon or surgical APP participants from diverse populations and NCORP sites	The purpose of the research study is to evaluate the consistent use of guidelines by surgeons for extended pharmacologic venous thromboembolism (VTE) prophylaxis (ePPx) for patients after major cancer surgery in community oncology practices across the United States and its territories.	<a href="https://clinicaltrials.gov/ct2/show/study/NCT07215624">NCT07215624</a>	12/2/25	200 Practices 700 Non-Patients	